

# **TECNICAL DATA SHEET (TDS)**

## **SUPER GLUE**

#### 1 - DESCRIPTION

**Super Glue** is an extra low viscosity superfast instant glue based on cyanoacrylate adhesive. It is excellent where extremely fast cure is required.

#### 2 - PROPERTIES

- Immediate bond
- Very high bond strength after a few seconds.

## 3 - APPLICATIONS

Suitable for glass, rubber, metals, ceramic and many plastics.

#### 4 - INSTRUCTIONS

Substrates need to be smooth and have a perfect connection area. Apply a drop on one of the substrates. Join substrates and press firmly for one minute. Application temperature is between +5°C and +30.

## 5- PACKAGING

Product	Weight	Package
Super Glue	20 gr / 25 gr	500

### 6- STORAGE AND SHELF LIFE

12 months in unopened packaging in a dry and cool storage place at temperatures between +5°C and +25°C.

#### 7-SAFETY

- Cyanoacrylates should ideally be stored in original sealed containers until used.
- Avoid exposure to strong light and heat sources.
- Cyanoacrylates can bond to skin within seconds.
- Do not drip into skin or into eyes can cause serious injury to your eyes.

## **8- TECHNICAL PROPERTIES**

Basis	: Ethyl Cyanoacrylate		
Appearance	: Liquid gel		
Colour	: Colourless		
<b>Application Temperature</b>	: +5°C to +30°C		
Density	$: 1,05 \pm 0,01 \mathrm{g/cm^3}$	ASTM D1875	
Flashpoint	:>80°C		
Viscosity	: 2 - 5 cps	ASTM D1084	

08 / 2015 Rev.04 Page 1